



# OPENSIN

S.C. **OPENSIN** S.R.L. Sinaia, Prahova  
Str. Mănăstirii

Tel. 0244 314 528  
Tel. 0723 281 576

[www.opensin.ro](http://www.opensin.ro)  
E-mail: [opensinaia@gmail.com](mailto:opensinaia@gmail.com)

## Street Furniture

---

■ Cast iron benches 6

---

■ Street posts for access blocking 14

---

■ Planters 20

---

■ Tree grates 24

---

■ Fountains 28

---

■ Trash bins 32

---

■ Other 38




**OPENSIN SRL introduces the Urban Furniture Catalogue** including the experience of five generations in ductile cast iron. Products are distributed by GLS PREFABRICADOS together with their own designs of concrete furniture.

**Quality** – Our products are manufactured at high quality standards ensuring durability and functioning in harsh outdoor conditions or public area. These are long life products requiring low maintenance costs having a reduced impact on the environment.

**Design** – The classic style harmoniously merges into modern designs, perfectly matching to a urban landscape.

**Integration** – Opensin street furniture is perfectly crowned by paving range of products and urban infrastructure provided by GLS PREFABRICADOS, all this aiming to create harmonious urban areas.

**Customize** – We put all our potential and know-how at the service of architects and customers for designing and manufacturing customized products, so as to achieve fabulous unique urban landscapes.





## Cast iron benches



Ondara

7



Y-Griega

9



Ondara silla

7



Saim

10



Rampante

7



SIR

10



Plaza Real

8



TIU

10



Romántico

8



Banco

11



Romántico doble

8



Mesa alta

11



Madrid

9



Silla

11



Estación

9





# Cast iron benches

## Ondara

Size mm.



**Thick wood strips** 110 x 35 x 1800 6 pieces of tropical wood, treated with insecticides, fungicides and water-repellent substances. Mahogany color lacquer finish.

**Cast iron legs**, antioxidant coating + black Oxiron paint for wrought iron, bottom threaded mounting holes. The main stiffening plate.

**Stainless steel screws.**

### Additional items:

- **Overall length:** 2000 – 1700 mm etc.
- **Wood:** Iroko, Bolondo, autoclaved pine, recycled wood, Forest Stewardship Council certified wood etc.
- **Wood color:** green, white, Lasur water based lacquer etc.
- **Leg color:** green, white, black, etc.

| Ref. | Lenght | Width | Seat height | Overall height |
|------|--------|-------|-------------|----------------|
| BA04 | 1800   | 800   | 440         | 870            |

## Ondara silla (chair)

Size mm.



**Thick wood strips** 110 x 35 x 650 6 pieces of tropical wood, treated with insecticides, fungicides and water-repellent substances. Mahogany color lacquer finish.

**Cast iron legs**, antioxidant coating + black Oxiron paint for wrought iron, bottom threaded mounting holes. The main stiffening plate.

**Stainless steel screws.**

### Additional items:

- **Wood:** Iroko, Bolondo, autoclaved pine, recycled wood, Forest Stewardship Council certified wood etc.
- **Wood color:** green, white, Lasur water based lacquer etc.
- **Leg color:** green, white, black, etc.

| Ref.    | Lenght | Width | Seat height | Overall height |
|---------|--------|-------|-------------|----------------|
| BA04-SI | 650    | 800   | 440         | 870            |

## Rampante

Size mm.



**Thick wood strips** 60 x 45 x 1800 11 pieces + 2 pieces Ø60 x 1800 of tropical wood, treated with insecticides, fungicides and water-repellent substances. Mahogany color lacquer finish.

**Cast iron legs**, antioxidant coating + black Oxiron paint for wrought iron, bottom threaded mounting holes. The main stiffening plate.

**Stainless steel screws.**

### Additional items:

- **Overall length:** 2000 – 1700 mm etc.
- **Wood:** Iroko, Bolondo, autoclaved pine, recycled wood, Forest Stewardship Council certified wood etc.
- **Wood color:** green, white, Lasur water based lacquer etc.
- **Leg color:** green, white, black, etc.

| Ref. | Lenght | Width | Seat height | Overall height |
|------|--------|-------|-------------|----------------|
| BA05 | 1800   | 750   | 410         | 800            |

# Cast iron benches

## Plaza Real

Size mm.



**Thick wood strips** 40 x 35 x 2000 19 pieces of tropical wood, treated with insecticides, fungicides and water-repellent substances. Mahogany color lacquer finish.

**Cast iron legs**, antioxidant coating + black Oxiron paint for wrought iron, bottom threaded mounting holes. The main stiffening plate.

**Galvanised through bolts**

**Additional items:**

- **Overall length:** 1800 – 1700 mm etc.
- **Wood:** Iroko, Bolondo, autoclaved pine, recycled wood, Forest Stewardship Council certified wood etc.
- **Wood color:** green, white, Lasur water based lacquer etc.
- **Leg color:** green, white, black, etc.

| Ref. | Lenght | Width | Seat height | Overall height |
|------|--------|-------|-------------|----------------|
| BA03 | 2000   | 770   | 410         | 740            |

## Romántico

Size mm.



**Thick wood strips** 40 x 35 x 2000 19 pieces of tropical wood, treated with insecticides, fungicides and water-repellent substances. Mahogany color lacquer finish.

**Cast iron legs**, antioxidant coating + black Oxiron paint for wrought iron, bottom threaded mounting holes. The main stiffening plate.

**Galvanized through bolts.**

**Additional items:**

- **Overall length:** 1800 – 1700 mm etc.
- **Wood:** Iroko, Bolondo, autoclaved pine, recycled wood, Forest Stewardship Council certified wood etc.
- **Wood color:** green, white, Lasur water based lacquer etc.
- **Leg color:** green, white, black, etc.

| Ref. | Lenght | Width | Seat height | Overall height |
|------|--------|-------|-------------|----------------|
| BA01 | 2000   | 750   | 400         | 700            |

## Romántico doble

Size mm.



**Thick wood strips** 40 x 35 x 2000 36 pieces of tropical wood, treated with insecticides, fungicides and water-repellent substances. Mahogany color lacquer finish.

**Cast iron legs**, antioxidant coating + black Oxiron paint for wrought iron, bottom threaded mounting holes. The main stiffening plate.

**Galvanized through bolts.**

**Additional items:**

- **Overall length:** 1800 – 1700 mm etc.
- **Wood:** Iroko, Bolondo, autoclaved pine, recycled wood, Forest Stewardship Council certified wood etc.
- **Wood color:** green, white, Lasur water based lacquer etc.
- **Leg color:** green, white, black, etc.

| Ref. | Lenght | Width | Seat height | Overall height |
|------|--------|-------|-------------|----------------|
| BA02 | 2000   | 1420  | 400         | 700            |



# Cast iron benches

## Madrid

Size mm.



**Thick wood strips** 170 x 40 x 2000 2 pieces + 1 piece 190 x 40 x 2000 of tropical wood, treated with insecticides, fungicides and water-repellent substances. Mahogany color lacquer finish.

50 x 10 mm **Legs of steel balustrade**. Polyester coating dried into a paint drying oven, colored black, bottom screw openings. The main stiffening plate.

**Galvanized through bolts.**

### Additional items:

- **Overall length:** 1800 – 1700 mm etc.
- **Wood:** Iroko, Bolondo, autoclaved pine, recycled wood, Forest Stewardship Council certified wood etc.
- **Wood color:** green, white, Lasur water based lacquer etc.
- **Leg color:** green, white, black, etc.

| Ref. | Lenght | Width | Seat height | Overall height |
|------|--------|-------|-------------|----------------|
| BA06 | 2000   | 700   | 420         | 730            |

## Estación

Size mm.



Electrolytically galvanized steel with polyester coating dried into a paint drying oven, colored red. Bottom screw openings.

### Additional items: color

| Ref. | Lenght | Width | Seat height | Overall height |
|------|--------|-------|-------------|----------------|
| BA07 | 1400   | 700   | 430         | 820            |

## Y-Griega

Size mm.



**Thick wood strips** 50 x 30 x 1400 13 pieces + 2 pieces 65 x 65 x 1400 of tropical wood, treated with insecticides, fungicides and water-repellent substances. Mahogany color lacquer finish.

**Galvanized steel tube legs** with polyester coating dried into a paint drying oven, colored silver gray on reinforcing structure, bottom screw openings. The main stiffening plate.

**Stainless steel screws.**

### Additional items:

- **Overall length:** 2000 – 1800 – 1700 mm etc.
- **Wood:** Iroko, Bolondo, autoclaved pine, recycled wood, Forest Stewardship Council certified wood etc.
- **Wood color:** green, white, Lasur water based lacquer etc.
- **Leg color:** green, white, black, etc.

| Ref. | Lenght | Width | Seat height | Overall height |
|------|--------|-------|-------------|----------------|
| BA08 | 1400   | 700   | 430         | 820            |

# Cast iron benches

## Saim

Size mm.



**Thick wood strips** 50 x 30 x 1400 14 pieces of tropical wood treated with insecticides, fungicides and water-repellent substances. Mahogany color lacquer finish.

**Legs of steel balustrade** 60 x 8 mm. Polyester coating dried into a paint drying oven, colored black, bottom screw openings. The main stiffening plate.

**Galvanized through bolts.**

### Additional items:

- **Overall length:** 2000 – 1800 – 1700 mm etc.
- **Wood:** Iroko, Bolondo, autoclaved pine, recycled wood, Forest Stewardship Council certified wood etc.
- **Wood color:** green, white, Lasur water based lacquer etc.
- **Leg color:** green, white, black, etc.

| Ref. | Lenght | Width | Seat height | Overall height |
|------|--------|-------|-------------|----------------|
| BA09 | 1400   | 800   | 420         | 800            |

## SIR

Size mm.



**Thick wood strips** 50 x 30 x 1800 14 pieces of tropical wood treated with insecticides, fungicides and water-repellent substances. Mahogany color lacquer finish.

**Legs of galvanized steel balustrade** with armrest, main stiffening plate, painted pearl gray with epoxy paint.

**Galvanized through bolts.**

### Additional items:

- **Overall length:** 2000 mm etc.
- **Wood:** Iroko, Bolondo, autoclaved pine, recycled wood, Forest Stewardship Council certified wood etc.

| Ref. | Lenght | Width | Seat height | Overall height |
|------|--------|-------|-------------|----------------|
| BA10 | 1800   | 560   | 410         | 810            |

## TIU

Size mm.



Two tropical wood panels, treated with insecticides, fungicides and water-repellent substances. Mahogany color lacquer finish.

**Galvanized steel tube legs and balustrade** painted pearl gray with epoxy paint.

**Galvanized through bolts.**

### Additional items:


- **Wood:** Iroko, Bolondo, autoclaved pine, recycled wood, Forest Stewardship Council certified wood etc.

| Ref. | Lenght | Width | Seat height | Overall height |
|------|--------|-------|-------------|----------------|
| BA11 | 2400   | 640   | 420         | 780            |

## Concrete benches

**Banco**

Size mm.



CONCRETE

| Ref.               | Color  |  |
|--------------------|--------|--|
| <b>BANCO200G</b>   | Gray   |  |
| <b>BANCO200N</b>   | Black  |  |
| <b>BANCO200R</b>   | Red    |  |
| <b>BANCO200BL</b>  | White  |  |
| <b>BANCO200A</b>   | Yellow |  |
| <b>BANCO200O</b>   | Ocher  |  |
| <b>BANCO200PIE</b> | Stone  |  |

Weight kg/piece

735

**Mesa alta**

Size mm.



CONCRETE


| Ref.              | Color  |  |
|-------------------|--------|--|
| <b>MESA200G</b>   | Gray   |  |
| <b>MESA200N</b>   | Black  |  |
| <b>MESA200R</b>   | Red    |  |
| <b>MESA200BL</b>  | White  |  |
| <b>MESA200A</b>   | Yellow |  |
| <b>MESA200O</b>   | Ocher  |  |
| <b>MESA200PIE</b> | Stone  |  |

Weight kg/piece

1050

**Silla**

Size mm.



CONCRETE

| Ref.              | Color  |  |
|-------------------|--------|--|
| <b>SILLA80G</b>   | Gray   |  |
| <b>SILLA80N</b>   | Black  |  |
| <b>SILLA80R</b>   | Red    |  |
| <b>SILLA80BL</b>  | White  |  |
| <b>SILLA80A</b>   | Yellow |  |
| <b>SILLA80O</b>   | Ocher  |  |
| <b>SILLA80PIE</b> | Stone  |  |


Weight kg/piece

394

We may provide lacquered and polished product.

Colors are given as a rough guideline since the pigments are of natural origin and are subjected to hue change based upon the manufacturing line.





## Street posts for access blocking



# Street posts for access blocking

## Barcelona 92'

Size mm.



Galvanized steel tube with polyester coating dried into a paint drying oven, color Oxiron Black for wrought iron.

| Ref.         | Diameter | Height |
|--------------|----------|--------|
| <b>PIL01</b> | Ø100     | 1000   |

## Barcelona

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Type         | Diameter | Height |
|--------------|--------------|----------|--------|
| <b>PIL02</b> | Ciutat Vella | Ø230     | 860    |
| <b>PIL03</b> | Pequeña      | Ø160     | 640    |

## Valencia

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Type     | Diameter | Height |
|--------------|----------|----------|--------|
| <b>PIL04</b> | Mediana  | Ø120     | 710    |
| <b>PIL05</b> | Valencia | Ø110     | 810    |
| <b>PIL06</b> | Naranja  | Ø110     | 780    |
| <b>PIL38</b> | Pequeña  | Ø80      | 580    |

## Aqualata

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Lenght | Width | Height |
|--------------|--------|-------|--------|
| <b>PIL07</b> | 215    | 120   | 1000   |

## Rallada

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Diameter | Height |
|--------------|----------|--------|
| <b>PIL08</b> | Ø90      | 815    |

## Palma

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Type    | Diameter | Height |
|--------------|---------|----------|--------|
| <b>PIL09</b> | Palma   | Ø110     | 970    |
| <b>PIL10</b> | Pequeña | Ø110     | 840    |



# Street posts for access blocking

## Canaria

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Type            | Diameter | Height |
|--------------|-----------------|----------|--------|
| <b>PIL11</b> | Canaria         | Ø120     | 960    |
| <b>PIL39</b> | Canaria pequeña | Ø120     | 710    |

## Norte

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Diameter | Height |
|--------------|----------|--------|
| <b>PIL12</b> | Ø140     | 700    |

## Madrid Fuentecilla

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Diameter | Height |
|--------------|----------|--------|
| <b>PIL13</b> | Ø170     | 700    |

## Madrid Fuencarral

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Diameter | Height |
|--------------|----------|--------|
| <b>PIL14</b> | Ø110     | 800    |

## Madrid Troncocónica

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Diameter | Height |
|--------------|----------|--------|
| <b>PIL15</b> | Ø650     | 1090   |

## Bola Esfera

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Diameter | Height |
|--------------|----------|--------|
| <b>PIL16</b> | Ø300     | 420    |
| <b>PIL17</b> | Ø400     | 500    |

## Sant Feliu

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Type               | Diameter | Height |
|--------------|--------------------|----------|--------|
| <b>PIL18</b> | Sant Feliu         | Ø105     | 860    |
| <b>PIL19</b> | Sant Feliu pequeña | Ø125     | 700    |

## Via Júlia

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Type              | Diameter | Height |
|--------------|-------------------|----------|--------|
| <b>PIL20</b> | Via Júlia         | Ø240     | 650    |
| <b>PIL21</b> | Via Júlia Pequeña | Ø135     | 550    |

# Street posts for access blocking

## Girona

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Diameter | Height |
|--------------|----------|--------|
| <b>PIL22</b> | Ø290     | 465    |

## Murcia

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Diameter | Height |
|--------------|----------|--------|
| <b>PIL23</b> | Ø280     | 430    |

## Badalona

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Type        | Diameter | Height |
|--------------|-------------|----------|--------|
| <b>PIL24</b> | Badalona    | Ø100     | 1000   |
| <b>PIL25</b> | Badalona 20 | Ø200     | 1025   |

## Orgam

Size mm.



Steel tube, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Diameter | Height |
|--------------|----------|--------|
| <b>PIL26</b> | Ø100     | 1000   |

## Via Romana

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Type               | Diameter | Height |
|--------------|--------------------|----------|--------|
| <b>PIL27</b> | Via Romana Pequeña | Ø120     | 700    |
| <b>PIL28</b> | Via Romana         | Ø170     | 650    |

## Inoxidable

Size mm.



Stainless steel tube, polished.

| Ref.         | Diameter | Height |
|--------------|----------|--------|
| <b>PIL29</b> | Ø90      | 1000   |

## Paseo de Gracia

Size mm.



Steel tube, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Diameter | Height |
|--------------|----------|--------|
| <b>PIL30</b> | Ø76      | 1100   |

## Villa

Size mm.



Steel tube, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Diameter | Height |
|--------------|----------|--------|
| <b>PIL31</b> | Ø750     | 1000   |

# Street posts for access blocking

## Ebro

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Diameter | Height |
|--------------|----------|--------|
| <b>PIL32</b> | Ø250     | 750    |

## Parking

Size mm.



Steel tube, antioxidant coating + Red / White.

| Ref.           | Type         | Lenght | Width | Height |
|----------------|--------------|--------|-------|--------|
| <b>PIL33</b>   | Parking      | 70     | 70    | 1000   |
| <b>PIL33-B</b> | Base Parking | -      | -     | -      |

## Barcelona 92' detaşabil

Size mm.



Galvanized steel tube with polyester coating dried into a paint drying oven, black Oxiron paint for wrought iron.

| Ref.           | Type              | Diameter | Height |
|----------------|-------------------|----------|--------|
| <b>PIL34</b>   | Barcelona'92      | Ø100     | 1000   |
| <b>PIL34-B</b> | Base Barcelona'92 | -        | -      |

## Escamoteable

Size m



Galvanized steel tube with polyester coating dried into a paint drying oven, silver gray color.

| Ref.         | Diameter | Height   |
|--------------|----------|----------|
| <b>PIL35</b> | Ø110/250 | 920/1500 |

## Chincheta 50 / 70

Size mm.



Steel tube, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Type         | Diameter | Height |
|--------------|--------------|----------|--------|
| <b>PIL36</b> | Chincheta 50 | Ø500     | 120    |
| <b>PIL37</b> | Chincheta 70 | Ø700     | 200    |

## Sevillana

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Diameter | Height |
|--------------|----------|--------|
| <b>PIL45</b> | Ø115     | 975    |

## Garita


Size mm.



Steel tube, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.         | Type | Diameter | Height |
|--------------|------|----------|--------|
| <b>PIL51</b> | 160  | 160      | 610    |





## ■ Planters



Barcelona

20



Circular

20




Rectangular

20



Long

20



Targa

21

## Planters

## Barcelona

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.        | Type              | Diameter | Height |
|-------------|-------------------|----------|--------|
| <b>JA01</b> | Barcelona         | Ø1300    | 420    |
| <b>JA02</b> | Barcelona pequeña | Ø900     | 450    |

## Circular

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.        | Diameter | Height |
|-------------|----------|--------|
| <b>JA03</b> | Ø890     | 440    |

## Rectangular

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.        | Type                | Lenght | Width | Height |
|-------------|---------------------|--------|-------|--------|
| <b>JA04</b> | Rectangular mediana | 800    | 300   | 330    |
| <b>JA05</b> | Rectangular pequeña | 750    | 260   | 370    |

## Long

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.        | Lenght | Width | Height |
|-------------|--------|-------|--------|
| <b>JA06</b> | 2000   | 450   | 500    |

\*Alte dimensiuni pot fi comandate la cerere..



## Planters

Targa **NEW**

Size mm.



Made of 10 mm Corten steel plates.

| Ref. | Lenght | Width | Height |
|------|--------|-------|--------|
| JA30 | 200    | 80    | 48     |
| JA31 | 120    | 50    | 48     |

| Ref. | Diameter | Height |
|------|----------|--------|
| JA32 | Ø80      | 68     |





## Tree grates



Sol cuadrado

24



Sol Circular

24



Colmena

25



Impu

25



Palmera fun 100 / 120

25



Fiol fun 100 / 120

25

## Tree grates

## Sol cuadrado

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.


| Ref. | Nr. pieces | Length | Width | Diameter |
|------|------------|--------|-------|----------|
| AL01 | 2          | 800    | 800   | Ø320     |
| AL02 | 2          | 800    | 800   | Ø400     |
| AL03 | 2          | 1000   | 1000  | Ø450     |
| AL04 | 4          | 1200   | 1200  | Ø450     |
| AL05 | 4          | 1200   | 1200  | Ø500     |
| AL06 | 4          | 1200   | 1200  | Ø800     |

\*

\* Opțional: cadru cu unghi separat.

## Sol Circular

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref. | Nr. pieces | Outer diameter | Internal diameter |
|------|------------|----------------|-------------------|
| AL08 | 4          | Ø1000          | Ø450              |
| AL09 | 4          | Ø1200          | Ø450              |
| AL10 | 4          | Ø1200          | Ø800              |

\* Additional: Angle frame is supplied separately.

## Tree grates

## Colmena

Size mm.




Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.        | Length | Width | Diameter |
|-------------|--------|-------|----------|
| <b>AL07</b> | 1000   | 1000  | Ø400     |

\* Additional: Angle frame is supplied separately.

## Impu

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron.

| Ref.        | Length | Width | Diameter |
|-------------|--------|-------|----------|
| <b>AL15</b> | 1000   | 1000  | Ø500     |

\* Additional: Angle frame is supplied separately.

## Palmera fun 100 / 120

Size mm.



No treatment, iron oxide.

| Ref.        | Nr. pieces | Length | Width | Diameter |
|-------------|------------|--------|-------|----------|
| <b>AL11</b> | 4          | 1000   | 1000  | 200      |
| <b>AL12</b> | 4          | 1200   | 1200  | 200      |

## Fiol fun 100 / 120

Size mm.



No treatment, iron oxide.

| Ref.        | Nr. pieces | Length | Width | Diameter |
|-------------|------------|--------|-------|----------|
| <b>AL13</b> | 4          | 1000   | 1000  | 200      |
| <b>AL14</b> | 4          | 1200   | 1200  | 200      |





## Fountains



Romántica

28



Portal

28



Infantil

28



Monolítica cuadrada

29



Monolítica circular

29



Grifo pulsador (stopcock with pushbutton)

29

## Fountains

## Romántica

Size mm.



Cast iron, antioxidant coating + black Oxiron paint for wrought iron. Stopcock with emergency pushbutton.

| Ref.        | Type            | Lenght | Width | Height |
|-------------|-----------------|--------|-------|--------|
| <b>FU01</b> | Romántica       | 670    | 400   | 1250   |
| <b>FU02</b> | Romántica doble | 960    | 400   | 1250   |

## Concrete base

| Ref.          | Lenght | Width | Height |
|---------------|--------|-------|--------|
| <b>FU01-P</b> | 820    | 500   | 610    |



## Portal

Size mm.

Cast iron, antioxidant coating + black Oxiron paint for wrought iron. Stopcock with emergency pushbutton.

| Ref.        | Lenght | Width | Height |
|-------------|--------|-------|--------|
| <b>FU03</b> | 460    | 480   | 800    |



## Infantil

Size mm.

Cast iron, antioxidant coating + black Oxiron paint for wrought iron. Stopcock with emergency pushbutton.

| Ref.        | Diameter | Height |
|-------------|----------|--------|
| <b>FU04</b> | Ø370     | 740    |





## Monolítica cuadrada

Size mm.

Galvanized steel with polyester coating dried into a paint drying oven, black Oxiron paint for wrought iron. Stopcock with emergency pushbutton.



| Ref.        | Length | Width | Height | Base length | Base width |
|-------------|--------|-------|--------|-------------|------------|
| <b>FU05</b> | 150    | 150   | 1000   | 790         | 350        |

## Monolítica circular

Size mm.

Galvanized steel with polyester coating dried into a paint drying oven, black Oxiron paint for wrought iron. Stopcock with emergency pushbutton.



| Ref.        | Diameter | Height | Length | Width |
|-------------|----------|--------|--------|-------|
| <b>FU06</b> | Ø220     | 1000   | 740    | 800   |

## Grifo pulsador

Size mm.



Stopcock with brass button.

Ref.  
**GR01**





## Trash bins



Barcelona 50 / 60 / 70

32



Tap

35



Barcelona INOX

32



Aqualata

35



Ayto Barcelona 70

32



Villa

35



Barcelona Semi

32



Barcelona Aro INOX

33



Circular Madera

33



Salou

33



Filtro

33



Madrid histórica

34



Bocacha

34



Fusta

34

## Trash bins

## Barcelona 50 / 60 / 70

Size mm.



Folding trash bin with stopper, made of perforated metal strip, electrolytically galvanized with polyester coating dried into a paint drying oven, color gray.

| Ref.    | Type         | Volume    | Diameter | Container height | Height |
|---------|--------------|-----------|----------|------------------|--------|
| PA01-50 | Barcelona 50 | 50 litros | Ø360     | 450              | 880    |
| PA01-60 | Barcelona 60 | 60 litros | Ø380     | 540              | 880    |
| PA01-70 | Barcelona 70 | 70 litros | Ø445     | 530              | 950    |

## Ayto Barcelona 70

Size mm.



Folding trash bin with stopper, made of perforated metal strip, electrolytically galvanized with polyester coating dried into a paint drying oven, black Oxiron paint for wrought iron.

| Ref.       | Volume    | Diameter | Container height | Height |
|------------|-----------|----------|------------------|--------|
| PA01 70BCN | 70 litros | Ø445     | 530              | 950    |

## Barcelona INOX

Size mm.



Folding trash bin with stopper, made of perforated metal strip, electrolytically galvanized with polyester coating dried into a paint drying oven, stainless steel.

| Ref. | Volume    | Diameter | Container height | Height |
|------|-----------|----------|------------------|--------|
| PA02 | 60 litros | Ø380     | 540              | 880    |

## Barcelona Semi

Size mm.



Tilt-out trash bin, made of perforated metal strip, electrolytically galvanized with polyester coating dried into a paint drying oven, color gray.

| Ref. | Volume    | Diameter | Container height | Height |
|------|-----------|----------|------------------|--------|
| PA03 | 30 litros | Ø380     | 540              | 880h   |

# Trash bins

## Barcelona Aro INOX

Size mm.



Folding trash bin provided with stopper, made of imperforated metal sheet, electrolytically galvanized with polyester coating dried into a paint drying oven, black Oxiron paint for wrought iron, stainless steel ring.

| Ref. | Volume    | Diameter | Container height | Height |
|------|-----------|----------|------------------|--------|
| PA04 | 60 litros | Ø380     | 540              | 880    |

## Salou

Size mm.



Steel structure with applied primer + black Oxiron paint for wrought iron, walls of tropical wood strips treated with insecticides, fungicides and water-repellent substances. Mahogany color lacquer finish. Removable galvanized container.

| Ref. | Volume    | Diametru | Height |
|------|-----------|----------|--------|
| PA05 | 40 litros | Ø450     | 720    |

## Circular Madera

Size mm.



Steel structure with applied primer + black Oxiron paint for wrought iron, walls of tropical wood strips treated with insecticides, fungicides and water-repellent substances. Mahogany color lacquer finish. Removable galvanized container.

| Ref. | Volume    | Diameter | Height |
|------|-----------|----------|--------|
| PA06 | 40 litros | Ø450     | 720    |

## Filtro

Size mm.



Folding trash bin with stopper and locker. Steel sheet electrolytically galvanized with polyester coating dried into a paint drying oven, color gray. Galvanized removable inner container.

| Ref. | Length | Width | Height |
|------|--------|-------|--------|
| PA09 | 690    | 310   | 100    |

# Trash bins

## Madrid histórica

Size mm.



Folding trash bin with stopper and locker made of imperforated metal sheet, electrolytically galvanized with polyester coating dried into a paint drying oven, black Oxiron paint for wrought iron.

| Ref. | Type                   | Volume    | Diameter | Container height | Pillar diameter | Pillar height |
|------|------------------------|-----------|----------|------------------|-----------------|---------------|
| PA07 | Madrid histórica       | 40 litros | Ø330     | 480              | Ø65             | 1380          |
| PA08 | Madrid histórica doble | 40 litros | Ø330     | 480              | Ø65             | 1380          |

## Bocacha

Size mm.



Folding trash bin with stopper and locker. Steel sheet electrolytically galvanized with polyester coating dried into a paint drying oven, color gray. Galvanized removable inner container.

| Ref. | Diameter | Container height | Overall height |
|------|----------|------------------|----------------|
| PA10 | Ø380     | 700              | 840            |

## Fusta

Size mm.



Steel structure with applied primer + black Oxiron paint for wrought iron, walls of tropical wood strips treated with insecticides, fungicides and water-repellent substances. Mahogany color lacquer finish. Galvanized removable inner container.

| Ref. | Diameter | Height |
|------|----------|--------|
| PA11 | Ø450     | 750    |

# Trash bins

## Tap

Size mm.



Steel structure with applied primer + black Oxiron paint for wrought iron, walls of tropical wood strips treated with insecticides, fungicides and water-repellent substances. Mahogany color lacquer finish. Galvanized removable inner container.

| Ref. | Diameter | Height |
|------|----------|--------|
| PA12 | Ø480     | 900    |

## Villa

Size mm.



Folding trash bin with stopper. Steel structure with applied primer + black Oxiron paint for wrought iron, walls of tropical wood strips treated with insecticides, fungicides and water-repellent substances. Mahogany color lacquer finish.

| Ref. | Diameter | Container height | Overall height |
|------|----------|------------------|----------------|
| PA13 | Ø350     | 430              | 1150           |

## Aqualata


Size mm.



Folding trash bin with stopper made of imperforated metal sheet, electrolytically galvanized with polyester coating dried into a paint drying oven, black Oxiron paint for wrought iron.

| Ref. | Volume    | Diameter | Container height | Overall height |
|------|-----------|----------|------------------|----------------|
| PA14 | 60 litros | Ø380     | 450              | 845            |






## Other



Bike parking rack 6 places 38



Barcelona bike parking rack 38



Boundary fences 200 / 240 38



Pipeline protection system 38

## Bike parking rack 6 places

Size mm.



Steel structure electrolytically galvanized with polyester coating dried into a paint drying oven, color gray.

| Ref.  | Length | Width | Height |
|-------|--------|-------|--------|
| APB01 | 1800   | 580   | 500    |

## Rastel pentru parcare bicicletelor Barcelona

Size mm.



Structure of galvanized or stainless steel tube.

| Ref.                                   | Type        | Diameter | Width | Height |
|--|-------------|----------|-------|--------|
| APB02-A                                | Galvanizado | Ø50      | 750   | 750    |
| APB02-E                                | Galvanizado | Ø50      | 750   | 950    |
| APB03                                  | Acero INOX  | Ø50      | 750   | 950    |
| A: Fixare prin șuruburi / E: Încastare |             |          |       |        |

## Sistem de protecție conducte

Size mm.




Cast iron, antioxidant coating + black Oxiron paint for wrought iron

| Ref. | Type               | Length | Width | Height |
|------|--------------------|--------|-------|--------|
| CU01 | Cubrecaños Pequeño | 170    | 120   | 1000   |
| CU02 | Cubrecaños Grande  | 240    | 140   | 1620v  |

## Boundary fences 200 / 240

Size mm.



Steel structure electrolytically galvanized with polyester coating dried into a paint drying oven, color gray or black Oxiron paint for wrought iron.

| Ref.  | Length | Height |
|-------|--------|--------|
| BM200 | 2000   | 1100   |
| BM240 | 2400   | 1035   |

The following shall not be subject for any claims or damage recovering:

- Modification of sizes, material or features (all of them are given as a rough guideline or for purpose of information) due to continuous improvement and innovation applied to our products, without prior notice specifically in favor of product for customer's best satisfaction.
- Terms of execution.
- In case of breakage/damaging during shipment if not indicated in the advice of delivery note, as well as loss of products after delivery of goods.
- Same wrong items pursuant to this Product Catalogue (therefore a retraction shall be provided).
- Damages and losses caused by improper installation or positioning, breakage or improper handling of products.

**LEGAL ISSUES:** Some of our products are registered by the Authority of Registration and Granting of the Different Types of Industrial Property in Spain as holder of industrial design right thereby ensuring intellectual property right and design protection.

No material returns or withheld are accepted.

All our purchased or sold products shall remain our property until full payment thereof (ownership rights reserved).

**Purchase of products by our customers shall be considered as absolute acceptance of conditions mentioned herein.**



Street furniture

OPENSIN

S.C. **OPENSIN** S.R.L. Sinaia, Prahova  
Str. Mănăstirii

Tel. 0244 314 528  
Tel. 0723 281 576

[www.opensin.ro](http://www.opensin.ro)  
E-mail: [opensinaia@gmail.com](mailto:opensinaia@gmail.com)